





**Integrated System** 

Introduction






- > Building or renovating? Achieve a beautiful, seamless look with the The Horizon Integrated System
- ➤ Welcome the fresh air and sunlight while blocking insects
- > Framed 100mm: Single 21' 6" max span; Double 43' max span
- The system incorporates Wizards proven retractable Horizon screen with its fully flush handle, floating upper track, low-profile track, and concealed fixings throughout
- ➤ The 3-sided frame option allows the ½" staged lower track to be either recessed with or mounted on top of the floor
- ➤ With its large spanning options, low profile construction, and sleek design, the Horizon Integrated System is the ultimate concealable retractable screen





➤ Compatible with most door systems, including bi-fold, sliding, and stacking doors.







➤ The frame is fit within a wall cavity after door installation and during rough framing phase. The jamb fillers are temporarily placed to maintain rigidity.







## **Applications**



THE HORIZON Integrated System

After finish construction is complete, the screen door and tracks are finally installed. The finish result achieves a discreet look and streamlined operation.












Excellence


A View Towards

**Integrated System** 

### Bi-folding / Stacking door



**Horizon 3 Sided Frame**Single and Double Screens





Horizon 4 Sided Frame
Single and Double Screens






\*3-sided use the standard lower track

































# Example on Bi-fold Door




The Horizon Integrated System will only be warrantied and supported for <u>interior</u> applications - *NOT* exterior!


Orientation of screen and frame in relation to the door.



## **Painted Surfaces**











- 1 Sill raised
- 2 Sill filler (removed when track installed)
- 3 Jamb extrusion
- 4 Jamb filler
- 9 Header
- 10 Header insert





#### **3 Sided Frame**


Lower track recessed into or on top of finish floor





### **4 Sided Frame**

Integrated recessed lower track









If you wish to conceal the pull-bar you would need to leave additional clearance as determined by the site requirements

