

Document note: This guide and all related procedures and specifications are subject to change without notice. Printed copies may not reflect the latest revision. For latest guides, refer to wizardscreens.com/installation.


VistaView™ Plus – Installation Guide
(LP Track Bottom shown)

Product tech. support:
support@wizardscreens.com ***1-888-949-3667***

First things

- **READ INSTRUCTIONS BEFORE PROCEEDING.**
- **Glazed door must be installed before screen installation.*
- If concealed, screen unit must be **removable** & **serviceable**.
  **This application is outside of Wizard support.*

Figure 1



Unpackaging

- Inspect at shop.
- Transit to site *protected*.
- **Report damage to sales rep. with pictures *immediately.***

Figure 2



Preparation


- **Figure 1** Zippers in slots.
- **Figure 2** Leave pull-bar support tracks **ON** *until* exchanging with tracks.
  1. Exchange with **lower** track. Affix track. **Not applicable to LP track;* then
  2. Exchange with **upper** track. Affix track.
- **Figure 3** Leave handle opener **ON** handle *until* installation complete.
- **Do NOT draw/retract screen on bench!**

Figure 3




This guide illustrates BOTTOM track installation using…

…“Low-Profile (LP) Track option”.



Steps are similar for “Standard (STD) Track option”.




Glossary & Considerations

Abb.	Word	Notes
VV	VistaView™	Applies to any parts that are used with both models.
VVC	VistaView™ Classic	VistaView™ Classic parts.
VV+	VistaView™ Plus	VistaView™ Plus parts.
VV Track	VistaView™ Standard Track	Applicable on top and bottom.
VV+ LP Track	VistaView™ Plus Low-Profile Track	Alternative bottom track option. Suitable where low-threshold required.

Considerations

- Track screws available in **white** and **black** colours.
- For **VV+ Standard** (as opposed to VV+ Low-Profile shown in this guide), bottom track steps similar to top track steps.
- **VV+ Standard Track** can be recessed into floor using **recess cup & channel.** See **technical specifications**


STEP - 1


VV+ Track LP
Max. 24" O/C
Max. 600 O/C
1" 25mm
1" 25mm
VV Track
1/8"
1" 25mm
40" ~ 60" O/C
1000mm ~ 1500mm O/C
1/8" 6mm (pre-drilled)
Splicer and Latch Ends
Housing Ends
1" 25mm
VV+ Track Latch
Drill 1/8" holes in upper and LP (low-profile) tracks.
Drill each end, then difference equally.

STEP – 2A

Prepare feeding end of **ALL Tracks**

1. *Counter-sink entry end of **track slot**.*





2. *Use needle file to debur sharp corners on **track slot**.*



**Alternatively, utility knife*



***Complete this step for both "Standard Track" and "Low-Profile Track" (not shown)**

STEP – 2Bi

Prepare feeding end of **Standard Track TOP**


As of Nov. 17 2026

Rubber Mallet



*Mallet **track guide** onto feeding end.*

A **B**






STEP – 2Bii


Prepare feeding end of **Standard Track BOTTOM**

*Applicable only for VV+ with Standard Track **Bottom** option

1. *Insert **drill jig** into **standard track** at feeding end.*




2. *Fully butt **drill jig** against **standard track** entry end. Tighten knob to lock into place.*



As of Jul. 1 2026

3. *Using **1/8" drill bit**, pre-drill **standard track**.*






STEP – 2Bii

Prepare feeding end of **Standard Track BOTTOM**


As of Jul. 1 2026

*Applicable only for VV+ with Standard Track **BOTTOM** option

4. *Use provided **#6 square panhead screw (not Phillips as shown).***



5. *Check **zipper slot** is aligned. No gap between track & housing.*



STEP – 2Bii

Prepare feeding end of **Standard Track BOTTOM**

ALTERNATIVELY


For **Standard Track BOTTOM**, you may instead use **track guides.**
Order as *separate line items.*


Rubber Mallet



*Mallet **track guide** onto feeding end.*


A **B**







STEP - 3



*Assemble **track joiners**, **track latches**, and **track guides** (if applicable) into **tracks**. Use a rubber mallet.*


VistaView™ Plus <u>100 LP *In-Jamb*</u> Configuration

Housing Standard Endcap preparation for 5” housing screw

Pre-drill 1/8”



Pre-drill backside ¼”






Counter-sink…



…until it looks like this




Pre-thread by passing screw in & out once.




STEP – 4A

*Example drilled for **70mm housing**.*
*Viewed towards **front**.*



1) *Is jamb plumb? If not, establish plumb marks.*
2) *Position paper jig in desired housing location **on plumb mark**. Position to be **square with LP track**. Both arrows indicate back & side faces.*
3) *Drill pilot holes that correspond with applicable housing size. Use 1/8" drill bit for substrate.*

Note: If screwing directly (eg. lumber floor), you can mark the lumber with 1/8" drill bit, then drill appropriate size pilot using these marks.


STEP – 4B
VV+ LP Housing Mounts
#6 Flat Head Screw
1) Install 2 **VV+ LP Housing Mounts**. Do not to over-torque.
2) Lower **housing** onto **VV+ LP Housing Mounts**.


STEP - 5


*Affix **Housing***

Alternative Screw Location

GAP NOT SHOWN

***STD Track Piece** remains ON at this stage (not shown)*





*Plumb **housing**, then affix with screw to secure as shown, using shim if necessary.*

<u>Do not fully tighten at this stage.</u>

STEP - 6

DO NOT remove handle lock!

*For **STD Track**, remove **track piece** (not shown)*




VV+ Track Splicer LP (Optional)

VV+ Track LP


*Ensure **handle-lock** remains ON **pull-bar** until **top & bottom tracks** are installed. If applicable, remove **STD track piece**. Align **lower track** and feed along **pull-bar** (see next step).*


STEP - 7




*Feed **lower track** along **pull-bar**, and feed **zipper** into **track zipper feed**.*

*Continue to feed **track** onto **endcap lug** and against **housing**.*
**Doorframe not shown for clarity.*


STEP - 8
DO NOT remove **handle-lock**!
VV+ Track Latch LP
VV+ Track LP
Attach remaining segments of track. Final piece can be tilted into place if space is limited.



STEP - 9
DO NOT remove handle lock!
VV+ LP Track Cover Clip
If drill torque is *too strong*, **track cover clip** will flex *inwards,* and hooks will *not* grab covers.
Drive home screws with *light* torque, then back off *slightly*.
VV+ LP Track Cover Clip
*Ensure **track** is fully against **housing**, with no gaps at joints. Level **track.** If necessary, shim applicable screw locations. Secure **LP track cover clips** **max. 24" O/C** with #6 screws into floor.*


STEP - 10




*Remove **STD track piece**. Feed **lower track** along **pull-bar**, and feed **zipper** into **track zipper feed**.*


*Continue to feed **track** onto **endcap lug** and against **housing**.*


1. Fully tighten housing screw
1/8” [3mm] gap
2. Fasten track guide to lug
Remove handle lock
Handle rotates to brake position
STEP - 11
Move **pull-bar** out to support end of **upper track** segment, then remove **handle-lock** to activate brakes and maintain position.
1. Tighten **housing screw;** 2. Fasten **track guide** to **lug** (not visible).



STEP - 12
VV+ Track Latch
VV Receiver
(mohair not shown)
Before fastening 2nd **track** segment (if applicable),
receiver must fit between top & bottom latches. **No gaps.**


STEP - 13
VV Receiver
(mohair not shown)
Fit **receiver** between top & bottom **track latches** (can flex into place).

STEP - 14



*Ensure **track, latch,** and **receiver** connections do NOT have gaps, then install remaining screws in **upper track** and **receiver**.*


STEP - 15
VV Standard Track Cover (Optional)
VV+ LP Track Cover
Attach **VV Standard Track Cover** top (optional) and **VV+ LP Track Cover** bottom.

Wizard Maintenance Kit

Spray **Wizard Dry Silicone** along **track zipper feeds** as shown.
*Spraying whole tracks will reduce effectiveness of brakes.

Hand-off **Wizard Maintenance Kit** to customer.





Check-list

- ☐ **Zipper** *feeding through keyhole* of **housing endcap**.
- ☐ **Tracks** *clean – no dirt and debris.*
- ☐ **Tracks** *level, parallel, and identical length*.
- ☐ **Housing** *plumb (front-to-back, left-to-right).*
- ☐ **Track guide** *fully secured & aligned.*
- ☐ **Pull-bar** has ***1/8”*** *vertical play along* **upper track** across opening.
- ☐ **Record pictures and videos** of problematic area *before* uninstalling.
- ☐ **Do *not* remove from the site**, if possible.
- ☐ **Review “Troubleshoot Manual”**

Install Guides | Wizard Screens & Shades | Premium Retractable Screens & Shades

☐ **If still unresolved, contact Wizard *before* leaving site!**


Wizard
Screens & Shades